

Digitech Gsp1101 Guitar Multi Effects Processor Manual



File Name: Digitech Gsp1101 Guitar Multi Effects Processor Manual.pdf

Size: 2358 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 14 May 2019, 12:48 PM

Rating: 4.6/5 from 832 votes.

Status: AVAILABLE

Last checked: 9 Minutes ago!

In order to read or download Digitech Gsp1101 Guitar Multi Effects Processor Manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Digitech Gsp1101 Guitar Multi Effects Processor Manual . To get started finding Digitech Gsp1101 Guitar Multi Effects Processor Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Digitech Gsp1101 Guitar Multi Effects Processor Manual

If you have lost or thrown out the CD with the DigiTech manual and you need advice with settings, error messages or are just interested in the capabilities and different functions of your DigiTech, then you can download a user manual from the DigiTech website. If the manufacturer's website does not give instructions on where to download a DigiTech user manual, then you will find plenty of DigiTech fans in our database. Take a look at our discussion forum for your particular product, a more experienced DigiTech user will surely be able to help you with the settings. We're trying to help you find exactly what you're looking for to keep you coming back. The unit models thirtyseven different pedals, twelve amplifiers, and nine speaker cabinets, and al. The unit enables you to record up to 10 minutes of stereo looping at 24bit 44.1 kHz sample resolution with unli. The pedal stores up to 200 CDquality WAV files and can tempo shift them without changing th. The JamMan Stereo comes w. Armed with patent pending musIQ harmony technology,. Having access to multiple modes like these make tuning your. These can be morphed to create new multimodel bass overdrive sounds. The BP90 delivers modeled amplifier, cabinet and stompbox simulations for powerful sig. It includes seventy factory presets and over twe. The Control 2 attaches with one cable to the GSP1101 and requires no setup. Control the GSP1101 in either 10 or 5 patch mode. The expression pedal. It provides accu. Try Google Search! Thank you. User Manual GOgroove BlueSENSE TRM Bluetooth Audio Transmitter Posted by Joel Schwartz 20200917 192405 Please send pdf. Outgoing Mic volume Plantronics. Audio 355 Headset 7973021 Posted by Donna J 20200917 191810 I can hear others fine but they can't Hear me with the volume up 100% on the 355 model hardwired. Outgoing Mic volume Plantronics. <http://obraz-tlt.ru/userfiles/buy-solution-manuals-for-textbooks.xml>

- **1.0.**

Audio 355 Headset 7973021 Posted by Donna J 20200917 191536 I can hear others fine but they can't Hear me with the volume up 100% on the 355 model hardwired. Create one here. Creators are allowed to post content they produce to the platform, so long as they comply with our policies. United Kingdom. Company number 10637289. Owner's Manual This unit conforms to the Product Specifications noted. Page 4 Front Panel Warranty. We at DigiTech are very proud of our products and backup each one we sell with the Page 6 Rear Panel Page 7 Introduction. Introduction Page 8 GSP1101 Basics Quick Start Initially, the. Page 9 Setup Wizard Quick Start. The Quick Edit Screen. This screen is a shortcut where you can see what effects are active. Page 10 Front Panel Page 14 Tone and Effect Libraries Using the GSP1101 Page 15 Using the GSP1101. Setup Wizard. The Setup Wizard helps you properly connect and configure the GSP1101 for the most. Page 16 Individual Parameters Using the GSP1101 Page 18 More About Editing Presets Using the GSP1101 Page 19 Preset Level Using the GSP1101. The Preset Screen Amp Model When you first. Page 20 Preset Load Using the GSP1101 By default, presets load automatically. The. Page 21 Contrast Using the GSP1101. The Tone Library contains the following selections Page 23 COMPRESSOR Using the GSP1101. Editing Expression Links. The GSP1101 lets you control parameters with an optional expression pedal or with. Page 24 DISTORTION Using the GSP1101 Version. This nonselectable option shows the version number of the current firmware. This is The individual Distortion models have the following parameters Cab Model. Selects a Cabinet model. Models include The GSP1101 features a configurable Loop that can be utilized. UnoVibe Step Filter Reverb. Using reverb in recorded program material gives the listener a sense that the material. To assign Expression Links to parameters via the Effect Edit screen. Global Functions. Guitar Tuner. <http://mistlondon.com/userfiles/buy-nissan-owners-manual.xml>

The GSP1101 features an builtin chromatic tuner with variable tuning references 427453, Page 51 Factory Reset Global Functions. To switch the output option for the XLR Mixer Outputs Page 52 Specifications Global Functions. Page 53 Global Functions Page 54 MIDI Implementation Table Global Functions. Page 55 Block Diagram Global Functions. Page 56 Preset List Global Functions. Page 57 Global Functions. Factory Reset. To restore the GSP1101 to its factory default state, select Factory Reset from the Main. Page 58 Specifications Footswitch Input DigiTech FS300 or GNXFC. Power Requirements. USA and Canada 120 VAC. Page 60 MIDI Implementation Table Page 61 Block Diagram Preset List. With a substantially lower price than newer units that offer similar features like the Fractal AxeFX II and Line 6 Helix , that GSP1101 packs a tremendous bang for the buck. Any semblance of outdated modeling technology with this unit totally vanishes with the use of thirdparty speaker cabinet impulse responses, which can be loaded into the unit by updating to the beta C63 firmware version. With a selection of great impulse responses loaded, it is clear that the GSP1101's amps and effects modeling is top notch despite the sometimes lackluster stock cabinet models. With all the features and great tone it packs, it's no surprise that it's been a favorite of artists such as Dave Mustaine and Dweezil Zappa. On the front panel, you'll find a 1 megaohm guitar input approximately the same impedance as most analog guitar amp inputs, ensuring a realistic response and a 50 ohm headphone output rated at 250 mW per channel at 50 ohms more than adequate power for most recording and practicing situations. This setting is ideal if you have any external rack or pedal effects processors that you want placed after the GSP1101's amp modeling. Simply connect the GSP1101's FX send to the external device's input and connect the external device's outputs into the GSP1101's FX returns.

This setting permits the use of an external hardware preamp unit but with the GSP1101's preamp and postamp effects. To use the unit this way, connect your guitar to the GSP1101's input, the GSP1101's FX send to the external preamp's input, and the external preamp's output to the GSP1101's FX return. Because the guitar signal is first routed to the GSP1101's input rather than directly to the external preamp, it is still possible to properly utilize the GSP1101's preamp effects in this configuration. This will bypass the amp's preamp and will instead send the GSP1101's amp modeling and effects modeling through the amp's power amp. For best results using the GSP1101 this way, you will likely need to set the amp very clean and run the GSP1101's overall Output Level fairly low to avoid overloading the amp's input. This configuration will send the amp's preamp signal through the GSP1101 to be processed by its postamp effects modulation, delay, and reverb, and then the effected signal is routed back to the amp's power amp. This means that effects which are placed preamp in the digital chain and ones that are placed postamp in the digital chain will maintain those respective placements with the external amp, and thus the tones will be ideal. Again, be sure to disable the GSP1101's amp modeling since the external amp will be providing the base tone from its FX send and leaving the GSP1101's amp modeling on will send a modeled amp signal to the external amp's input, which will likely sound muddy and overly saturated. MIDI setup is even more straightforward with DigiTech's Control 2. The MIDI capabilities are too vast to describe here, but are outlined in detail in the product manual. The list of amp, cabinet, and effects models is huge, but it's likely the most intriguing collection of information about this unit, so I'm going to provide all of it.

<http://ninethreefox.com/?q=node/13733>

An assortment of classic Fenders makes for gorgeous clean and slight breakup tones, especially when paired with the unit's Fender Twin spring reverb and Fender optocoupler tremolo models. The two Vox models provide the classic chime we all know and love and get creamy in the perfect way with their amp model volume controls cranked. Those seeking vintage tones will also be impressed with the Hiwatt Custom 100 DR103 model and the C63 firmware update's Gibson GA40 model. The modern amp models have perfect levels of saturation, plenty of gain on tap, and manage to sound

massive while still remaining tight and defined in the low end. The noise floor is extremely low and I don't notice any hissing at even fairly high gain levels, unlike with the Line 6 POD HD series. The cabinet models aren't terrible, but for the most part, they sound fairly narrow, flat, and unexciting. They're perfectly adequate and in fact can sound quite good for practicing or jamming along to recordings, but when used in a live environment or as part of a studio mix, they fall quite short. If the GSP1101 was stuck with only the ability to use DigiTech's cab models, I would feel that the unit's tones were slightly above average at best. However, by far my favorite feature of the C63 firmware update is the ability to upload up to 10 thirdparty cabinet impulse response files into the unit's memory. This feature is relatively new given the GSP1101's fairly long time on the market, and it really transforms it into a whole new unit. Any audio signal that passes through the impulse response such as a GSP1101 amp model signal will essentially sound like it had also gone through the setup that the impulse response was capturing in person. There are thousands of free and commercial impulse responses available and there are many great ones and many bad ones alike, but when using great ones, it is truly like taking a blanket off the speakers when compared to using the GSP1101's cabinet simulations.

<http://www.dolciariavarone.com/images/Dewalt-5800-Radial-Arm-Saw-Manual.pdf>

Good impulse responses are a crucial element for recording extremely realistic tones, and the GSP1101 is an absolutely killer recording tool when loaded with a good collection of them. I highly recommend the impulse responses created by OwnHammer, Rosen Digital, and RedWirez to get the most out the GSP1101. However, it is certainly possible to disable the cab simulation completely and use digital audio workstation plugins to load fullsize impulse responses when recording the GSP1101, and the truncated file isn't really an issue when running the GSP1101 through a guitar cabinet or PA system since real world room ambience will naturally fill out the sound anyway. The bad news isn't all that bad, but it's that only one model per effect type block can be engaged at a time. For example, this means that a distortion model and a fuzz model could not be used at the same time. This is a limitation of finite processing power and can be an issue with even the most expensive digital units on the market today because processing an audio signal and still keeping the latency low enough to be imperceptible requires a lot of processing power. Although it's a slight drawback, it's not a big deal because there are still plenty of toneshaping options at your disposal. The ability to run 6 types of effects at once still gives you a generous number of tonal combinations to play with. This again is not a huge deal because this is the traditional placement of most of these types of effects except possibly noise gates and pitch shifters and most players feel they sound ideal in this configuration. However, the C63 firmware update helps a bit by allowing the Compressor block to be placed before or after the amp modeling section, and by adding another parametric 3band EQ model which can be loaded in the Distortion effects block allowing for preamp tone shaping. The update also allows the noise gate to be placed at the input stage or after the amp modeling section or after the FX loop.

<http://atlantichurricane.com/images/Dewalt-317-Manual.pdf>

The distortions, overdrives, and fuzzes create a huge palette of options and open up a huge spectrum of gain levels and tonal characters. The models based on modded Tube Screemers and vintage fuzzes are both instant favorites. Even if you're not looking to add much gain to your signal, the unique character of each model provides a lot of tone shaping ability. The wah models cover a great range of territory from vintage and quacky to modern and throaty, and the C63 firmware's added ability to tweak the response curve of the expression pedal allows you to truly personalize the wah response. The classic DigiTech Whammy model is included and makes for hours of fun trying your best Tom Morello impressions, and the intelligent harmonizer model is a blast for cranking out Iron Maiden and Boston styled stacked guitar leads. Modulation effects like chorus, phase, and flange are deep and lush and are extremely wide in stereo mode. A wide variety of beautiful delays is

available, including gritty lofi analog simulations, rhythmic stereo ping pong delays, and pristine digital delays with ducking functionality to emphasize key parts of your solos. The reverbs are studioquality, which is no surprise given that many of the models are authorized genuine models of famous Lexicon units widely considered to be the pioneer of digital reverb. Another very cool update feature is that it allows for parallel signal routing for modulation, delay, and reverb effects opening many new tonal possibilities, especially for those who enjoy ambient tones. It can be integrated in a wide variety of different rigs and fulfill many different needs. It is very user friendly for how many options it has and plays nicely with any MIDI floorboard controller.

Its amp and effects models sound fantastic, and although its cabinet models aren't extremely impressive, the ability to load third party impulse responses with the beta C63 firmware update brings the tone quality into the same playing field as units four times the price. The GSP1101 may not be the newest unit on the market, but it is still a seriously awesome piece of gear and provides tremendous value at a very reasonable cost. Valve sound! Tone and FX Libraries. Packaging Condition Open Packaging We accept the following payment methods. We ONLY accept Paypal and Credit Card Payments. No other payment method will be accepted. Credit Card Payments We accept Visa. MasterCard, Discover and American Express. To make a direct payment via credit card, please contact us directly by phone. All Utah customers are subject to Utah State Sales Tax of 6.85% Please note that payment must be made within 7 days after the auction has ended. Shipping is via USPS Shipping is via USPS. Please see the Shipping and Payments tab for available shipping methods. We currently ship inside the United States only and do not offer shipping to international addresses. Combined Shipping YES. We offer combined shipping. All combined orders will be shipped UPS Ground. Please review the criteria for combined shipping with NPS If you purchase more than one item from us. You can save on shipping by having your items combined. NPS will combine up to 10 items on a single invoice. If items are paid for separately. They will not be eligible for the comb Along with the incredible selection of effects, the RP360 has a 40second looper, nearly 200 presets, USB port, configurable footswitch modes, builtin tuner; dedicated headphone jack, Sound Check and 60 built in drum tracks. You can add up to 8 effects to each preset. The RP360 has a USB port for transferring and loading presets from your computer. With nearly 200 onboard presets and Nexus.

DigiTech's free preset editor and librarian software, you can create, transfer, and share an unlimited number of tones. The USB port also allows you to record your guitar tracks directly to your computer. The RP360 works with GarageBand, Pro Tools, Cubase, Ableton, and virtually every other recording software for Mac or PC. The RP360 is versatile with 3 different footswitch modes. Incorporate the RP360 into your existing pedalboard using stompbox mode where you can assign any effect in your preset to each footswitch. If you choose to use the RP360 by itself. Easily navigate through your presets in preset mode or bank mode. Extend your control of the RP360 with a 3button footswitch or expression pedal. The 3button footswitch can be setup to extend the control of the onboard looper or navigate through your banks and presets. Using an expression pedal you'll engage real time control of an effect in your preset including the iconic Whammy pedal. The RP360 includes a new feature exclusive to DigiTech called Sound Check. Sound Check allows you to quickly record a phrase with your guitar and set it to repeat while you dial in the perfect effects and settings. Sound Check saves you from having to continually bend over to make minor adjustments while dialing in your tone. With Sound Check you'll spend less time tweaking and more time playing with the perfect tones. Features Over Very difficult to come across such clean items these days. A great hard to find item. Were not responsible for things we may have overlooked and no one person can be an absolute expert on any subject, so ask questions early. We do not answer during the last 48 hours of the auction. Act now. Standard auction, so you have plenty of time to have your payment in place. Auction may be cancelled at any time since the item is for sale off line so please waitil you are invoiced, thereafter immediate payment is required, you can pay just as fast as you bid. Happy bidding.

PS as of the New Year, all prices went in great working condition, 100% functional.. more
Cosmetically it is great also, but it is missing battery cover at the bottom. Uses 9VDC 300mA cord.
Free Cross Sell, Cross promote, eBay Marketing, eBay listing Apps, eBay Apps, eBay Application.
Please don't forget to visit the Nocrotec Shop for other versions of this upgrade. This upgrade works
for ANY GSP2101. GSP2101 Artist, GSP2101 Limited Edition, GSP2101 LE or GSP 2101 Artist PRO.
This auction also includes the internal battery for the GSP2101 all Variants which should be replaced
every 7 years. First Check your software version. If your GSP2101 runs with 20MHz cycle frequency
or not. What you will get in this auction A complete software AND hardware upgrade to 3.00.00.a OR
3.00.a with detailed installation manuals and patch file zip file download with editing software for the
GSP 2101. With the ZIP file you'll get more than 500 patches for the GSP2101. Programmed by the
GSP2101 guru. These patches can be transmitted to your GSP2101 over MIDI. Be careful! Do not
buy from sellers which offer the software upgrade for 2ERPOM board or the 3.00.00 upgrade only!
They might NOT work for your unit. Please email me if you are not sure which hardware version you've
got. In this auction you will get the 3.00.00.a or the 3.00.a upgrade not the 3.00.00 or the 3.00
upgrade! If you are not sure which GSP2101 version you got as a present and stored only. Free Cross Sell,
Cross promote,. Please don't forget to visit the Nocrotec Shop for other versions of this jack. For
English text Please see below. GSP 2101 FC, 2120 FC, Legend II FC RP1, RP3, RP5, RP6, RP10,
RP12, RP14, RP20, RP21D XP100 Whammy Wah. Es behebt das Problem wenn der Taster nicht mehr
richtig funktioniert oder die Kappe oder Feder verloren oder defekt ist. ENGLISH TEXT Please don't
forget to visit the Nocrotec Shop for other versions of this jack.

Digitech Push Button Cap Repair Set with Spring and Switch for many different Digitech units This
set will fit for the following units Control One, XP200 Modulator, XP300 Space Station, XP400
Reverberator, XP1000, BP8 and for other units. Please write me if you are unsure. It will solve the
problem. If the cap is broken or lost, the spring is lost, or the switch on the PCB does no longer
work. Note To replace the switch on the PCB you'll need knowledge in soldering. For other special
parts please ask. This set contains one used. But good push button cap one new push button cap
spring one new switch Add our store to your favorites and receive exclusive emails about new items and
special promotions. General Interest We are an authorized. Lush choruses, scintillating reverbs and
other expressive effects in a single pedal size stompbox. Just like the classic pedals that inspired it,
M5 Stompbox Modeler runs one effect at a time. But M5 is also different it's designed like a Swiss
army knife to carve out sonic creativity one brilliant effect at a time. Dare to inspire and be inspired
with its complete collection of modern and vintage effects. Why buy another pedal every time you'd
like a little extra spice. M5 is your buddy who's got the garage filled with half a century's worth of
modern and vintage effects. But this time he'll loan out anything from the arsenal and never ask for it
back. From the classic and timeless to the bold and esoteric, M5 has got you covered. This instant
stockpile is robust, easily switchable and well known it's the same effect lineup as M9 and M13
Stompbox Modelers. There are no menus, saving or hassles. M5 Stompbox Modeler is stompbox
simple. Tweak your tones on the fly using the dedicated knobs. When you power down your settings
remain, just like a classic stompbox. M5 costs less than a good, single effect pedal and delivers many
times the firepower.

It's stocked with inputs and outputs to integrate seamlessly into your pedal board, MIDI setup and
live, studio and rehearsal scenarios. Tough as nails, easy to use and ready to go, toss M5 Stompbox
Modeler into your gig bag to take advantage of the single pedal stompbox solution. Save the world
one effect at a time. Model LIN990403205 COMBODLX Child UPC 712392902892 Parent UPC You
may submit Replacement Battery and Pulling Tool. Please don't. more forget to visit the Nocrotec
Shop for other versions of this upgrade. These upgrade chips are new and tested. This auction also
includes the internal battery for the SGS 2112 and 2120 VGS Artist which should be replaced every 7
years and an EPROM pulling tool which helps to pull the old EPROM out of the socket. First Check
your software version. Switch on the unit while watching the display. This upgrade works for ALL

SGS 2112 and 2120 VGS Artist What you will get in this auction The complete firmware upgrade chip to 2.30 with detailed installation manual in German and English. This upgrade will make a 2120 Artist out of any 2112. A new replacement battery CR2032 The battery is not necessary for the upgrade. But you should take the opportunity to replace the battery when you have your unit open If you have any questions to the upgrade just write me a message. You will need a new user manual. After you have upgraded to firmware version 2.30 you will need a new user manual the manual for the 2120 Artist because the operation functions change with this software. Item Condition These upgrade chip. Battery and pulling tool are new, tested, in working condition. If you dont like the parts youll get your money back. More SGS 2112 and 2120 VGS stuff wanted. Check out my homepage SGS 2112 and 2120 VGS Webpage FAQs Q Do I need any special tools to install the upgrade A No. You only need standard screwdrivers to install the upgrade. The EPROM sits in a socket and is NOT Please dont forget.

This auction also includes the internal battery for the TSR24S which should be replaced every 7 years. This upgrade works for ALL TSR24 and TSR24S. Second Check the the cycle frequency of the main processor of your TSR24S Execute these steps Switch on the unit while watching the display. Check what is written after the firmware version. What you will get in this auction A complete firmware AND hardware upgrade to 2.00 AND to 20MHz cycle frequency with detailed installation manuals in English. This upgrade will make a TSR24S out of any TSR24. If you are not sure which TSR24S version you have or if you have any other problems just write me a message. After the auction has ended I will ask you for your current firmware version and cycle frequency and depending to this. I will send you the right parts you need to perform the upgrade to 2.00 20MHz! A replacement battery CR2032 The battery is not necessary for the upgrade. But you should take the opportunity to replace the battery when you have your unit open You will need a new user manual. After you have upgraded to firmware version 2.00 you will need a new user manual the manual for the TSR24S because Since I sold my trusty 2101 sniff. Sniff I have the matching Control One from Digitech that still needs a home. This unit hasnt been powered on for about a couple months but the last time I used it, it worked fine. Ive owned it for about 7 years without any problems. The control one pedal is for use with 2101, 2112, 2120 Digitech and some Johnson pre amps. Just so everyone knows this is NOT a Midi controller and will only work properly with specific units that use the CC Protocol. Please dont plug it into the MIDI input and expect it to work. Not responsible for user error. Now onto the bad news Cosmetically this unit is definitely battlescarred. No doubt. Got all kinds of dings from heavy use and the worst thing about this unit is that. God only knows where it is. The right hand side guard is in tact and in place securely.

So, dings, scratches, lovetaps, missing left hand side guard. Used to control some Digitech devices including the include. Broken, Valve FX digital analog effects processor that doesnt seem to be working properly. I have the manual and two cords, one short one very long. Expression pedal controls dive bombs and bends, Cutting edge pitch detection engine designed specifically for guitar delivers fast accurate shifting. Missing original Amp Level knob. But still works great. Feel free to contact with any questions. Posted with But still works, a common digitech issue comes with manuals and cords to operate Sounds amazing sold as is no returns. Posted with The Control 7. Still no programming necessary here. Just plug in, connect a MIDI cable and go. The 7 foot switches can access any MIDI program on any MIDI channel. A builtin expression pedal can be assigned to any MIDI CC number for real time control of parameters. As are all DigiTech foot controllers, the Control 8 is housed in a rugged metal chassis and is much. The Control 8 MIDI Foot Controller is for the musician needing key performance features at a budget conscious price. All functions work great EXCEPT the rear input isnt working, I always used the front anyway and the LCD backlight doesnt work. You can see the display, but it has to be at eye level and hard to see in the dark. not that big of deal when using the foot control. Get that real tube overdrive as well as digital distortion and a multitude of great effects. Google it for more information. The Legend II is essentially the same as

the Control One, performs all the same functions. The bottom right bypasses unit entirely. The end caps are missing, you can cut out some shipping styrofoam to cover them or make some. I made some wooden ones. Some people just use electrical tap or leave them open, doesn't really hurt anything. Power cable and 20ft midi cable for foot control included. Ask any questions before purchase. U.S. Only, Paypal with confirmed address ONLY.

List your items fast and easy and manage your active items. Power up, see the pictures with lights, I am not musically inclined at all concerning apparatus dealing with music. Check out my! Be sure to add me to your. Can be used for parts. DigiTech GSP 2112 Multi Effects Studio Guitar System along with a DigiTech Guitar Control One Foot Controller. The 2112 multi effects guitar system comes with the unit and power cord. The Control One foot controller pedal is a powerful remote foot controller that allows you to take full advantage of all the highperformance realtime control capabilities of the 2120 VGS, 2112 SGS, GSP2101, Valve FX or Legend II Guitar Processors. In addition, the Control One is also compatible with Johnson Amplification products such as Millennium 150 and Marquis 100. The unit is equipped with ten programmable footswitches, plus. Please be sure to take a look at our other items listed as we combine shipping costs for multiple items purchased. Free Shipping! GOOD USED CONDITION. This pedal is complete. Original, and operates as it should without issues. Works with Digitech products 2101, 2120, 2112, etc as well as the Johnson Amplification Millennium series Amps. I have used it with my Johnson JM150 and a Digitech 2112. Cosmetically its obviously been used. With scratches, marks, and scuffs here and there see pics for cosmetics Please look at all pics. I will ship this item over seas. But you must contact me for a shipping quote before buying. You will be responsible for all shipping fees, customs fees, taxes, and any other fees involved with you receiving this item.. more You will be charged actual shipping cost. I do not inflate shipping fees. I will not ship this or any other item, anywhere other than your registered Paypal address. Check out my other items! Already mounted in a 4 space padded rack bag. This processor works perfectly and is updated with the latest software. You get all that's in the pictures. Awesome sound in a single package.

<http://afreecountry.com/?q=node/3673>