

# Dxz525 Manual

**File Name:** Dxz525 Manual.pdf

**Size:** 1289 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 25 May 2019, 19:57 PM

**Rating:** 4.6/5 from 829 votes.



**Status: AVAILABLE**

Last checked: 11 Minutes ago!

**In order to read or download Dxz525 Manual ebook, you need to create a FREE account.**

**[Download Now!](#)**

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

## Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dxz525 Manual . To get started finding Dxz525 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

### Dxz525 Manual

Please read this owner's manual in its entirety before operating this equipment. After reading this manual, be sure to keep it in a handy place e.g., glove compartment. Check the contents of the enclosed warranty card and keep it carefully with this manual. This manual includes the operating procedures of the CD changer, MD changer, AUX, DVD and PHONE MUTE connected via the CeNET cable. The CD changer and MD changer have their own manuals, but no ZEnhancer Plus indication

1. When the inside of the car is very cold and the 2. Driving on extremely bumpy roads which cause 4. When closing the FLIP DOWN PANEL, do not CAUTION player is used soon after switching on the severe vibration may cause the sound to skip. Operation status indication heater moisture may form on the disc or the When opening When detaching the control panel, store it Be sure to close the HOLD FLAP for safety in the DCP DETACHABLE CONTROL PANEL when removing the DCP. We recommend taking the DCP with you when leaving the car. Attaching the DCP 1. Insert the right side of the DCP into the main unit. The creases the volume. Auto store 2. Press tThe CD plays from the ejected position. Replace with a fuse of the same amperage. If on. the fuse blows again, consult your store of No sound is pro purchase. duced. Incorrect wiring. Consult your store of purchase. No sound output Power antenna lead is shor 1. Turn the unit off. when operating the ted to ground or excessive 2. Remove all wires attached to the power unit with amplifiers or current is required for antenna lead. Check each Take the measures described below to eliminate the problem. Error Display Cause Measure ERROR 2 A CD is caught inside the CD deck and is This is a failure of CD deck's mechanism not ejected. ERROR 3 A CD cannot be played due to scratches, Replace with a nonscratched, etc. Mode d'emploi. Manual de instrucciones Thank you for purchasing this Clarion product. PHONE MUTE connected via the CeNET cable. <http://escolaalfa.com/userfiles/destornillador-automatico-manual.xml>

- **dxz525 manual.**

The CD changer and MD changer have their own Contents Handling Compact Discs. 4 Major button operations when external equipment is connected to this unit. 7. Display Items. 8. LCD Screen. 8 Functions of Remote Control Unit Buttons 11 Radio Operations. CD Operations. Operations Common to Each Mode. Controller for Optional SIRIUS Tuner Modules. ZEnhancer Plus for Sound Creation with 3 Adjustment Modes 2 Band P.EQ. CeNET with Balanced Audio Line Transmission and Dynamic Noise Cancelling. FM Reception System Flip Down Panel If moisture The condensation will disappear naturally allowing normal Operation status indication. Frequency, clock, etc. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable This equipment generates, uses, and can radiate However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference Disc number indication 1 to 6 In extreme cold, the screen movement may slow down and the screen may darken, but this is normal. The screen will recover when it returns to normal temperature. This unit uses a flipdown structure that makes possible large size displays. PANEL, be careful not to catch your fingers. They could be injured. PANEL closed. Handling Compact Discs. Use only compact discs bearing the Do not play heartshaped, octagonal, or other Handling. CDRW discs may not be played. Therefore, do Roughness CD player or it may damage the CD player. Storage Cleaning ZEnhancer Plus indication. English. English Names of the Buttons and their Functions When the button is pressed and held, auto Press and hold the button for 1 second or Also performs disc random play when the button is pressed and held. <http://www.triumphsportprijzen.nl/uploads/destiny-library-manager-manual.xml>

When this button is pressed and held for 1 second, it stores the current station into the ISR memory. Radio is connected. What is Sirius Satellite Radio? Sirius is radio the way it was meant to be. Up to 50 channels of completely commercial-free music. Plus up to 50 more channels of House of Blues, E!, NPR, Speedvision and Every minute of every day. All 50 commercial-free music channels are created in-house. Do you like Reggae? How about Classic Rock or New Rock? Sirius has an array of Bluegrass, Alternative, Classical, Heavy Metal, Dance and many others. From its state-of-the-art, digital broadcasting facility in Rockefeller Center, New York City, Sirius will bring you music and entertainment. It's radio like you've never heard before. So Get Sirius and Listen Up. For more information, visit [siriusradio.com](http://siriusradio.com). Note: Be sure to unfold this page and refer to the front diagrams as you read each chapter.

**Apertura del PANEL ABATIBLE** English. English. English We recommend taking the DCP with you when you use the car. Be sure to close the HOLD FLAP for safety. Removing the DCP may drop due to vibration of the car. This results in damage to the DCP. So Note: Operating range 30 in all directions. Signal transmitter. Remote control unit. Inserting the Batteries. Batteries Notes. Using batteries improperly can cause them to overheat. Rear side. Mode. Radio Functions of Remote Control Unit Buttons. Button. Switches reception band. Plays the first track. Top play. Moves the next disc in. Increases and decreases volume in all modes. Moves preset. Moves tracks up and down. When pressed and held for 1 second. No function. Switches between playback and pause. Turns mute on and off. Recalls ISR radio station in memory. Press and hold for 2 seconds or longer. Stores current station into ISR. Switches among main display, clock display. Preset scan. When pressed and held for 2 seconds. Scan play. When pressed and held for 1 second. No function. Repeat play. Repeat play. When pressed and held for 1 second. No function. Random play. Random play.

When pressed and held for 1 second, it stores the current station into the ISR memory. Note: Be sure to read this chapter referring to the front diagrams of the unit. If you drain the car's battery, Note: The first time this unit is turned on after the wire is connected, the power is off. When the system check is complete, the power is on. Selecting a mode. Radio mode SIRIUS mode CD mode. CD changer mode MD changer mode. DVD changer mode AUX mode RadioCeNET is not displayed. Switching the display. Main display. Clock display. Main display. Setting the ZEnhancer Plus. This unit is provided with 3 types of sound tone effects stored in memory. Select the one you prefer. Basic Operations. Adjusting the bass Gain. Frequency, Qcurve. This adjustment can be performed when the ZEnhancer Plus is set to "CUSTOM". Adjusting the treble Gain. Frequency. This adjustment can be performed when the ZEnhancer Plus is set to "CUSTOM". Adjusting the balance. Adjusting the fader. Adjusting the tone. English. Basic Operations. Radio Operations. Adjusting the ZEnhancer Plus. FM reception. For enhanced FM performance the Enhanced Multi AGC, Impulse noise reduction OFF mode. The loudness effect emphasizes the bass to make music sound fuller. When you are listening to music at a low volume, it is recommended to use the loudness effect. When loudness effect is turned on, "LD" lights will come on. Changing the reception area. This unit is initially set to USA frequency intervals. When using it. Listening to the radio. Tuning. There are 3 types of tuning mode available, seek, Manual memory, Manual tuning. There are 2 ways available Quick tuning and When you are in the step tuning mode, the frequency changes one step at a time. In the quick tuning mode, the frequency changes one step at a time. In the quick tuning mode, the frequency changes one step at a time. In the quick tuning mode, the frequency changes one step at a time. Recalling a preset station. A total of 24 preset positions 6FM1, 6FM2, 6FM3, 6AM exists to store individual radio stations in memory. Pressing the corresponding button. Auto store. Auto store is a function for storing up to 6 stations that are automatically tuned in sequentially. If 6 receivable stations cannot be received, a preset scan. Preset scan receives the stations stored in preset memory in order.

This function is useful. Note: Instant station recall ISR. Instant station recall is a special radio preset. Seek tuning. CD Operations. English. Loading a CD. Ejecting a CD. SLOT behind the FLIP DOWN PANEL. The CD plays. Notes. Loading 8 cm compact discs. Notes. Play starts automatically. If no CD is loaded in the unit, the unit will not play. Notes. Be sure to remove the CD after use. Note: Selecting a track. Pausing play. Top function. The top function resets the CD player to the first track. Repeat play. The repeat play continuously plays the current track. English. Scan play. The scan play locates and plays the first 10 seconds of each track on a

disc automatically. This Operations Common to. Each Mode. You can adjust the reduced illumination level of AUX function. This system has an external input jack so you Random play. Selecting AUX IN sensitivity. The random play selects and plays individual tracks This function continues automatically until it is cancelled. Make the following settings to select the sensitivity when sounds from external devices connected to this unit are difficult to hear even after Setting the clock English Note If you drain or remove the While setting the clock, if another button or Turning the screen saver function This unit is provided with the screen saver function. You can turn on and off this function. If the button operation is performed with the This unit requires special wiring to mute the audio signal automatically when a cellular telephone rings in the car. English This unit can control Selecting a track CD ROM discs cannot be played in the CD Pausing play Top function CD. The top function plays from the first track track. No. 1 of the disc. Top function MD. Disc repeat play. The top function plays from the first track track After all the tracks on the current disc have been Scan play. Scan play locates and plays the first 10 seconds This function continues on the disc until it is cancelled. Disc scan play. Disc scan play locates and plays the first 10 This function Repeat play. Repeat play continuously plays the current track.

This function continues automatically until it is Random play selects and plays individual tracks This function Disc random play. The disc random play selects and plays individual tracks or discs automatically in no particular order. This function continues automatically until it is cancelled. Problem. Power does not turn Cause. Measure. Fuse is blown. Replace with a fuse of the same amperage. If Incorrect wiring. Consult your store of purchase. Power antenna lead is short. Turn the unit off. Nothing happens The microprocessor has Turn off the power, then Press the reset button for DCP or main unit connectors are dirty. Wipe the dirt off with a soft cloth moistened with Compact disc cannot Another compact disc is Eject the compact disc before loading the new Sound skips or is noisy. Compact disc is dirty. Clean the compact disc with a soft cloth. Compact disc is heavily Replace with a compact disc with no scratches. General. No sound output Display is not accurate. Reset button. Water droplets may form on Let dry for about 1 hour with the power on. Take the measures described below to eliminate the problem. Cause. Measure This is a failure of CD deck's mechanism Replace with a nonscratched, CD deck and does not play. Eject the disc then reload it properly. This is a failure of CD changer's Replace with a nonscratched, nonwarped disc. Eject the disc then reload it properly. MD changer is too high and playback has Lower the surrounding temperature and This is a failure of MD changer's Replace with a nonscratched, nonwarped disc. Eject the disc then reload it properly. Displayed when a nonrecorded MD is Load a prerecorded MD in the MD CD changer MD changer. English If the problem Audio. Frequency Range Usable Sensitivity Alternate Channel Selectivity Stereo Separation 1 kHz Maximum Power Output Continuous Average Power Output Line Output Level CD 1 kHz Frequency Range Usable Sensitivity. CD Player. System. Compact disc digital audio system. Usable Discs.

Compact disc Signal to Noise Ratio 1 kHz Dynamic Range 1 kHz Harmonic Distortion General. Power Supply Voltage Current Consumption. Less than 15 A. Speaker Impedance Notes Puissance de sortie maximale Puissance de sortie continue moyenne Sortie de ligne CD 1 kHz Tension d'alimentation. Consommation Lecteur CD. Disques utilisables. Disques compacts Plage dynamique 1 kHz Distorsion harmonique Remarques Audio. Gama de frecuencias Sensibilidad a 50 dB de silenciamiento Selectividad de canal alternativo Salida media continua de potencia Generales. Gama de frecuencias Consumo de corriente. Menos de 15 A. Impedancia de los altavoces Reproductor de discos compactos. Sistema. Sistema audiodigital de discos compactos. Discos utilizables. Discos compactos Notas. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you

need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant CARAUDIO forum topics  
Hogyan lehet a Suzuki Wagon R,CeNET CLARION DXZ428R CDradiojat a kocsiból kiserelni. Foto mellekelve.Megoldva. Sziasztok. A csaladban levo Suzuki Wagon R nem az enyem CD lejatszoja nem mukodik. Gyakorlatom a dologban Auto nincs. Minden tanacsot koszonok. Udv varga jano. U.I. Fotot mellekelek a Suzuki Wagon R belsejerol. Koszonom. Udv jano. Sziasztok. Az Uniman által mellekelt hivatkozasban reszletesen le van irva angolul, hogy, hogy lehet a CDradiot kiserelni. Nagyon szeppen koszonom. Udv varga jano clarion pu9203a kodolasi problema Szervusztok!

Olyan problema merult fel a fentnevezet clarion pu9203akeszulekkel,hogy rossz kodot adtak meg. Es a kijelzo a 524 2 jelent meg es nem csinal semmit.Be van kapcsolva 2 oraja de nem allt a code allapotba. Ilyenkor mit tudok csinalniVagy varjak 24 orat Varom megtisztelo valaszotokat. Adott a cimben nevezett fejegyseg. A kovetkezo hibaval kerult hozzamAsztalon mukodik rendesen CD,USB, AUX bemenet, Radio hangolható, allomasokat automatan megtalalja, de a radio valoban torz. A mely hangok olyanok, mint amikor tonkrement a melynyomo. Recseg, torz stb. Egyeb jelforrasnal ez nem hallható. Amit eddig mertem, tettemEzert ha valakinek van otlete, azt megkoszonom. A tanyan csak ez a doksi van. 95%ban egyezik Elore is koszonom a segitseget. Az általa hivatkozott rajzban, amiben berajzolta az FM utat, az IC 373635os labain talalhato induktivitas allitasaval a hiba megszunt. Az induktivitasban talalhato kondenzator kapacitasa valoszinuleg mar csokkent. A hiba sajnos nem volt permanens, de igazabol az vezetett a megoldashoz, hogy magasabb frekvencian 103,5 MHz nem igazan volt tapasztalhato, amig alacsonyabb frekvencian 92,7 MHz hallható volt. Igy az o tanacsara az említett induktivitason allitva, lehetett kompenzalni a hibát. Tovabbiakban a tap bemeneti 2200uFos puffer kondenzatora is ki lett cserelve. Koszonom meg egyszer. KN Similar manuals You can write in English language into the forum not only in Hungarian. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Clarion Dxz525 Manual. To get started finding Clarion Dxz525 Manual, you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented. I get my most wanted eBook Many thanks If there is a survey it only takes 5 minutes, try any survey which works for you.